



Perskoppelingen HNS serie

NPT buitendraad




AGN	NPT Buitendraad											
	GSS Artikel nr	Slangmaat			Draad	Afmetingen (mm)					Max W.P.	
		DN	Size	Inch	F	H	L	S			bar	PSI
HNS-12NM12	20	12	3/4"	3/4"-14	39	90	27				420	6000
HNS-16NM12	20	12	3/4"	1"-11,5	47	98	36				380	5400
HNS-12NM16	25	16	1"	3/4"-14	41,5	98	32				420	6000
HNS-16NM16	25	16	1"	1"-11,5	48,5	105	36				380	5400
HNS-20NM16	25	16	1"	1 1/4"-11,5	53	109,5	46				325	4600
HNS-16NM20	32	20	1 1/4"	1"-11,5	52,5	119	41				380	5400
HNS-20NM20	32	20	1 1/4"	1 1/4"-11,5	55	121,5	46				325	4600
HNS-24NM20	32	20	1 1/4"	1 1/2"-11,5	59	125,5	50				290	4100
HNS-24NM24	38	24	1 1/2"	1 1/2"-11,5	61	143,5	50				290	4100
HNS-32NM24	38	24	1 1/2"	2"-11,5	67,5	150	65				250	3600
HNS-32NM32	51	32	2"	2"-11,5	70,5	167	65				250	3600

JIC buitendraad



AGJ	JIC Buitendraad											
	GSS Artikel nr	Slangmaat			Draad	Afmetingen (mm)					Max W.P.	
		DN	Size	Inch	F	H	L	S			bar	PSI
HNS-14JM12	20	12	3/4"	7/8"-14	37	88	27				420	6000
HNS-17JM12	20	12	3/4"	1 1/16"-12	40	91	27				420	6000
HNS-19JM12	20	12	3/4"	1 3/16"-12	41,5	92,5	32				420	6000
HNS-21JM12	20	12	3/4"	1 5/16"-12	43	94	36				380	5400
HNS-17JM16	25	16	1"	1 1/16"-12	43	99,5	32				420	6000
HNS-21JM16	25	16	1"	1 5/16"-12	45	101,5	36				380	5400
HNS-26JM16	25	16	1"	1 5/8"-12	48	104,5	46				325	4600
HNS-21JM20	32	20	1 1/4"	1 5/16"-12	48,5	115	41				380	5400
HNS-26JM20	32	20	1 1/4"	1 5/8"-12	50,5	117	46				325	4600
HNS-30JM20	32	20	1 1/4"	1 7/8"-12	55	121,5	50				290	4100
HNS-30JM24	38	24	1 1/2"	1 7/8"-12	57	139,5	50				290	4100
HNS-40JM24	38	24	1 1/2"	2 1/2"-12	65,5	148	65				250	3600
HNS-40JM32	51	32	2"	2 1/2"-12	68,5	165	65				250	3600


JIC wartel



DKJ	JIC Wartel											
	GSS Artikel nr	Slangmaat			Draad	Afmetingen (mm)					Max W.P.	
		DN	Size	Inch	F	H	L	S	S1			bar
HNS-14JF12	20	12	3/4"	7/8"-14	33	84	27	27			420	6000
HNS-17JF12	20	12	3/4"	1 1/16"-12	34	85	32	27			420	6000
HNS-19JF12	20	12	3/4"	1 3/16"-12	35,5	86,5	36	30			420	6000
HNS-21JF12	20	12	3/4"	1 5/16"-12	38	89	41	32			380	5400
HNS-17JF16	25	16	1"	1 1/16"-12	36,5	93	32	32			420	6000
HNS-21JF16	25	16	1"	1 5/16"-12	39,5	96	41	32			380	5400
HNS-26JF16	25	16	1"	1 5/8"-12	46	102,5	50	41			325	4600
HNS-21JF20	32	20	1 1/4"	1 5/16"-12	45,5	112	41	41			380	5400
HNS-26JF20	32	20	1 1/4"	1 5/8"-12	48	114,5	50	41			325	4600
HNS-30JF20	32	20	1 1/4"	1 7/8"-12	51	117,5	60	46			290	4100
HNS-30JF24	38	24	1 1/2"	1 7/8"-12	53	135,5	60	46			290	4100
HNS-40JF24	38	24	1 1/2"	2 1/2"-12	66	148,5	75	60			250	3600
HNS-40JF32	51	32	2"	2 1/2"-12	69	165,5	75	60			250	3600

Perskoppelingen HNS serie

JIC 45 wartel




DKJ45

JIC wartel 45"

GSS Artikel nr	Slangmaat			Draad	Afmetingen (mm)				Max W.P.	
	DN	Size	Inch	F	H	L	K	S	bar	PSI
HNS-14JF45S12	20	12	3/4"	7/8"-14	66	117	28	27	420	6000
HNS-17JF45S12	20	12	3/4"	1 1/16"-12	63	114	25	32	420	6000
HNS-19JF45S12	20	12	3/4"	1 3/16"-12	63	114	25	36	420	6000
HNS-21JF45S12	20	12	3/4"	1 5/16"-12	63	114	25	41	380	5400
HNS-17JF45S16	25	16	1"	1 1/16"-12	85	141	35	32	420	6000
HNS-21JF45S16	25	16	1"	1 5/16"-12	82	138	32	41	380	5400
HNS-19JF45S16	25	16	1"	1 5/8"-12	82	138	32	50	325	4600
HNS-21JF45S20	32	20	1 1/4"	1 5/16"-12	100	167	41	41	380	5400
HNS-26JF45S20	32	20	1 1/4"	1 5/8"-12	98	164	38	50	325	4600
HNS-30JF45S20	32	20	1 1/4"	1 7/8"-12	98	164	38	60	290	4100
HNS-30JF45S24	38	24	1 1/2"	1 7/8"-12	118	201	46	60	290	4100
HNS-40JF45S24	38	24	1 1/2"	2 1/2"-12	118	201	46	75	250	3600
HNS-40JF45S32	51	32	2"	2 1/2"-12	157	253	62	75	250	3600

JIC 90 wartel




DKJ90

JIC wartel 90"

GSS Artikel nr	Slangmaat			Draad	Afmetingen (mm)				Max W.P.	
	DN	Size	Inch	F	H	L	K	S	bar	PSI
HNS-14JF90S12	20	12	3/4"	7/8"-14	55	106	55	27	420	6000
HNS-17JF90S12	20	12	3/4"	1 1/16"-12	55	106	52	32	420	6000
HNS-19JF90S12	20	12	3/4"	1 3/16"-12	55	106	52	36	420	6000
HNS-21JF90S12	20	12	3/4"	1 5/16"-12	55	106	52	41	380	5400
HNS-17JF90S16	25	16	1"	1 1/16"-12	71	128	71	32	420	6000
HNS-21JF90S16	25	16	1"	1 5/16"-12	71	128	67	41	380	5400
HNS-26JF90S16	25	16	1"	1 5/8"-12	71	128	67	50	325	4600
HNS-21JF90S20	32	20	1 1/4"	1 5/16"-12	87	154	84	41	380	5400
HNS-26JF90S20	32	20	1 1/4"	1 5/8"-12	87	154	81	50	325	4600
HNS-30JF90S20	32	20	1 1/4"	1 7/8"-12	87	154	81	60	290	4100
HNS-30JF90S24	38	24	1 1/2"	1 7/8"-12	105	188	97	60	290	4100
HNS-40JF90S24	38	24	1 1/2"	2 1/2"-12	105	188	97	75	250	3500
HNS-40JF90S32	51	32	2"	2 1/2"-12	140	237	132	75	250	3500

JIC 90 wartel
long drop



DKJ90


LONG DROP

JIC wartel 90" long drop

GSS Artikel nr	Slangmaat			Draad	Afmetingen (mm)				Max W.P.	
	DN	Size	Inch	F	H	L	K	S	bar	PSI
HNS-17JF90L12	20	12	3/4"	1 1/16"-12	55	106	96	32	420	6000
HNS-21JF90L16	25	16	1"	1 5/16"-12	71	128	116	41	380	5400
HNS-26JF90L16	25	16	1"	1 5/8"-12	71	128	116	50	325	4600
HNS-26JF90L20	32	20	1 1/4"	1 5/8"-12	87	154	136	50	325	4600
HNS-30JF90L24	38	24	1 1/2"	1 7/8"-12	105	188	162	60	290	4100
HNS-40JF90L32	51	32	2"	2 1/2"-12	140	137	220	75	250	3500


Perskoppelingen HNS serie

ORFS buitendraad



GSS Artikel nr	ORFS Buitendraad										
	Slangmaat			Draad	Afmetingen (mm)					Max W.P.	
	DN	Size	Inch	F	H	L	S			bar	PSI
HNS-12ORM12	20	12	3/4"	1 3/16"-12	36	87	32			420	6000
HNS-16ORM16	25	16	1"	1 7/16"-12	41	97	41			420	6000
HNS-20ORM20	32	20	1 1/4"	1 11/16"-12	44	111	46			350	5000
HNS-24ORM24	40	24	1 1/2"	2"-12	48	131	55			290	4200

ORFS wartel




GSS Artikel nr	ORFS Wartel										
	Slangmaat			Draad	Afmetingen (mm)					Max W.P.	
	DN	Size	Inch	F	H	L	S	S1			bar
HNS-10LORF12	20	12	3/4"	1"-14	43	94	30	27		420	6000
HNS-12LORF12	20	12	3/4"	1 3/16"-12	46	97	36	30		420	6000
HNS-16LORF12	20	12	3/4"	1 7/16"-12	49	100	41	36		420	6000
HNS-16LORF16	25	16	1"	1 7/16"-12	51	107	41	36		420	6000
HNS-20LORF16	25	16	1"	1 11/16"-12	52	109	50	41		350	5000
HNS-20LORF20	32	20	1 1/4"	1 11/16"-12	55	121	50	41		350	5000
HNS-24LORF24	40	24	1 1/2"	2"-12	60	142	60	50		290	4200

3

Perskoppelingen HNS serie


ORFS 45 wartel



ORFS Wartel 45"

GSS Artikel nr	Slangmaat			Draad	Afmetingen (mm)				Max W.P.	
	DN	Size	Inch	F	H	L	K	S	bar	PSI
HNS-12LORF45S12	20	12	3/4"	1 3/16"-12	60	111	22	36	420	6000
HNS-16LORF45S12	20	12	3/4"	1 7/16"-12	61	112	23	41	420	6000
HNS-16LORF45S16	25	16	1"	1 7/16"-12	78	134	29	41	420	6000
HNS-20LORF45S16	25	16	1"	1 11/16"-12	78	134	29	50	350	5000
HNS-20LORF45S20	32	20	1 1/4"	1 11/16"-12	93	159	34	50	350	5000
HNS-24LORF45S24	40	24	1 1/2"	2"-12	113	195	41	60	290	4200


ORFS 90 wartel



ORFS Wartel 90"

GSS Artikel nr	Slangmaat			Draad	Afmetingen (mm)				Max W.P.	
	DN	Size	Inch	F	H	L	K	S	bar	PSI
HNS-12LORF90S12	20	12	3/4"	1 3/16"-12	54	105	48	36	420	6000
HNS-16LORF90S12	20	12	3/4"	1 7/16"-12	54	105	49	41	420	6000
HNS-16LORF90S16	25	16	1"	1 7/16"-12	71	127	62	41	420	6000
HNS-20LORF90S16	25	16	1"	1 11/16"-12	71	127	62	50	350	5000
HNS-20LORF90S20	32	20	1 1/4"	1 11/16"-12	87	153	75	50	350	5000
HNS-24LORF90S24	40	24	1 1/2"	2"-12	105	187	90	60	290	4200

ORFS 90 wartel
long drop



ORFS Wartel 90" Long-drop

GSS Artikel nr	Slangmaat			Draad	Afmetingen (mm)				Max W.P.	
	DN	Size	Inch	F	H	L	K	S	bar	PSI
HNS-12LORF90L12	20	12	3/4"	1 3/16"-12	54	105	96	36	420	6000
HNS-16LORF90L16	25	16	1"	1 7/16"-12	71	127	114	41	420	6000
HNS-20LORF90L20	32	20	1 1/4"	1 11/16"-12	87	153	130	50	350	5000
HNS-24LORF90L24	40	24	1 1/2"	2"-12	105	187	155	60	290	4200